



フランジ 小判型

☆12×20、12×18は、卵穴(長穴)です。



鉄製

商品番号	厚み (t)	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ガスケット番号
49-036	9.0	50.0	88.0	68.0	-	36.0	11.0	-
49-R042	6.0	60.0	90.0	70.0	-	43.0	11.0	81-043M
49-043	9.0	52.0	90.0	65.0	-	43.0	12.0	-
49-L043	8.0	64.0	94.0	70.0	-	43.0	12.0	81-043M
49-R043	6.0	65.0	101.0	70-75	-	43.5	11×14	81-043M 81-046M
49-044	6.0	65.0	96.0	65.0	-	44.0	12.0	-
49-R044	6.0	76.0	116.0	75-95	-	44.0	12×20	81-050M
49-051	6.0	78.0	116.0	74-94	-	52.0	12×20	81-050M
49-L051	6.0	71.0	107.0	80.0	-	52.0	11.0	81-054M
49-R051	9.0	76.0	108.0	82.0	-	52.0	11.0	81-052M
49-L052	6.0	82.0	122.0	92.0	-	52.0	12.0	81-056M
49-R052	6.0	82.0	118.0	91.0	-	52.0	12.0	81-065M
49-054	6.0	78.0	116.0	75-95	-	55.0	12×20	81-050M
49-060	6.0	90.0	130.0	89-106	-	62.0	12×20	81-062MA
49-061	8.0	100.0	127.0	102.0	-	61.0	11.0	81-065GA
49-L062	9.0	96.0	138.0	110-115	-	62.0	12×18	81-063M
49-R062	6.0	82.0	118.0	91.0	-	62.0	12.0	81-065M
49-066	6.0	90.0	130.0	89-106	-	66.0	12×20	81-062MA
49-072	9.0	97.0	138.0	110-115	-	72.0	12×20	81-072M
49-075	8.0	100.0	135.0	105.0	-	76.0	11.0	81-080M
49-080	8.0	100.0	135.0	105.0	-	80.0	11.0	81-080M
49-081	8.0	115.0	140.0	118.0	-	81.0	11.0	81-092G




ステンレス製(SUS304)

商品番号	厚み (t)	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ガスケット番号
49-S051	8.0	80.0	113.0	89.0	-	51.0	11.0	81-061M
49-S052	6.0	82.0	118.0	91.0	-	52.0	12.0	81-065M
49-S060	8.0	80.0	113.0	89.0	-	62.0	11.0	81-061M
49-S061	6.0	100.0	127.0	102.0	-	61.0	11.0	81-065GA
49-S062	8.0	96.0	138.0	100-115	-	62.0	12×18	81-063M
49-S062A	6.0	80.0	116.0	92.0	-	62.0	12.0	81-065M
49-S072	8.0	96.0	138.0	100-115	-	72.0	12×18	81-072M
49-S076	8.0	96.0	138.0	100-115	-	76.0	12×18	81-077M

フランジ 三角型

☆12×20は、卵穴(長穴)です。



鉄製

商品番号	厚み (t)	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ガスケット番号
50-044	6.0	95.0	95.0	74.0	74.0	44.0	11.0	83-052M
50-051	6.0	112.0	112.0	72-85	72-85	52.0	12×20	83-052MA
50-L051	5.0	96.0	96.0	74.0	74.0	51.0	11.0	83-052M
50-R051	9.0	85.0	85.0	65.0	65.0	51.0	9.0	-
50-K052	4.5	108.0	108.0	87.0	87.0	52.0	12.0	83-062
50-L052	6.0	112.0	112.0	87.0	87.0	52.0	11.0	83-062
50-R052	6.0	98.0	98.0	78.0	78.0	52.0	11.0	83-063G
50-060	6.0	123.0	123.0	80-94	80-94	62.0	12×20	83-062MA
50-061	8.0	103.0	103.0	78.0	78.0	62.0	11.0	83-063G
50-061AT	9.0	105.0	105.0	82.0	82.0	61.0	11.0	83-065M
50-062	6.0	112.0	112.0	87.0	87.0	62.0	11.0	83-062
50-062A	8.0	112.0	112.0	87.0	87.0	62.0	11.0	83-062
50-066	6.0	112.0	112.0	87.0	87.0	66.0	11.0	83-062
50-070	10.0	120.0	120.0	92.0	92.0	72.0	11.0	83-074G
50-071	9.0	130.0	130.0	104.0	104.0	71.0	13.0	84-089M
50-075	8.0	117.0	117.0	96.0	96.0	76.0	10.5	-
50-076	6.0	121.0	121.0	93.0	93.0	76.0	11.0	83-074G
50-L076	9.0	118.0	118.0	93.0	93.0	76.0	11.0	84-075M
50-080	8.0	117.0	117.0	96.0	96.0	81.0	10.5	-
50-081	9.0	130.0	130.0	94.0	94.0	81.0	11.0	84-075M
50-L081	9.0	130.0	130.0	104.0	104.0	81.0	13.0	84-089M
50-R081	6.0	122.0	122.0	92.0	92.0	81.0	11.0	83-074G
50-089	6.0	144.0	144.0	104.0	104.0	90.0	13.0	84-089M
50-090	9.0	130.0	130.0	104.0	104.0	90.0	13.0	84-089M
50-R090	6.0	134.0	134.0	104.0	104.0	90.0	12.0	84-089M
50-095	8.0	141.0	141.0	104.0	104.0	95.0	11.0	84-089M

ステンレス製(SUS304)




商品番号	厚み (t)	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ガスケット番号
50-S061	4.0	111.0	111.0	87.0	87.0	61.0	11.0	83-062
50-S062	6.0	112.0	112.0	87.0	87.0	62.0	12.0	83-062
50-S062A	6.0	95.0	95.0	78.0	78.0	61.5	11.0	83-063G
50-S066	6.0	112.0	112.0	85.0	85.0	66.0	12.0	83-062
50-S066A	6.0	95.0	95.0	78.0	78.0	66.0	12.0	83-063G
50-S066B	6.0	115.0	115.0	95.0	95.0	66.0	11.0	-
50-S076	8.0	118.0	118.0	92.0	92.0	76.0	11.0	83-074G
50-S080	6.0	115.0	115.0	95.0	95.0	81.0	11.0	-
50-S081	6.0	122.0	122.0	92.0	92.0	81.0	11.0	83-074G

フランジ 四角型

☆12×20、12×18は、卵穴(長穴)です。



鉄製

商品番号	厚み (t)	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ガスケット番号
51-043	8.0	64.0	64.0	50.0	50.0	43.0	9.0	-
51-R043	8.0	70.0	70.0	50.0	50.0	43.0	10.0	-
51-051	6.0	80.0	100.0	48-58	60-75	52.0	12×20	85-052M
51-L051	9.0	80.0	93.0	54.0	64.0	52.0	9.0	-
51-052	9.0	74.0	88.0	50.0	64.0	52.0	9.0	85-053M
51-060	6.0	100.0	100.0	64-75	64-75	62.0	12×20	85-062MA
51-061	4.5	94.0	94.0	69.0	69.0	61.5	11.0	85-062M
51-K061	9.0	138.0	138.0	100.0	100.0	61.5	13.0	85-098M
51-062	6.0	88.0	88.0	64.0	64.0	62.0	9.0	85-064M
51-R062	9.0	90.0	90.0	64.0	64.0	62.0	9.0	85-064M
51-065	6.0	110.0	110.0	82.0	82.0	66.0	13.0	85-080G
51-066	6.0	100.0	100.0	64-75	64-75	66.0	12×18	85-062MA
51-R066	6.0	100.0	100.0	75.0	75.0	66.0	12.0	85-081M
51-K071	9.0	138.0	138.0	100.0	100.0	71.0	13.0	85-098M
51-075	9.0	100.0	100.0	75.0	75.0	76.0	11.0	85-075M
51-076	6.0	125.0	125.0	83.0	83.0	75.0	14.0	-
51-K076	9.0	138.0	138.0	100.0	100.0	76.0	13.0	85-098M
51-L076	8.0	108.0	108.0	82.0	82.0	76.0	13.0	85-080G
51-R076	8.0	105.0	105.0	80.0	80.0	76.0	11.0	85-L081M
51-080	6.0	100.0	100.0	75.0	75.0	81.0	11.0	85-081M
51-L080	6.0	110.0	110.0	80.0	80.0	81.0	11.0	85-L081M
51-M080	8.0	120.0	120.0	80.0	90.0	81.0	12.5	-
51-R080	6.0	110.0	110.0	75-85	75-85	82.0	12×20	85-080MA
51-081	8.0	112.0	112.0	83.0	83.0	81.0	11.0	-
51-K081	9.0	138.0	138.0	100.0	100.0	81.0	13.0	85-098M
51-L081	9.0	100.0	100.0	75.0	75.0	81.0	12.0	85-081M
51-R081	9.0	120.0	120.0	90.0	90.0	81.0	12.5	85-L085G
51-085	8.0	122.0	122.0	92.0	92.0	86.0	12.5	85-086G
51-K085	9.0	138.0	138.0	100.0	100.0	86.0	13.0	85-098M
51-090	8.0	170.0	170.0	140.0	140.0	90.0	13.0	-
51-R090	8.0	120.0	120.0	90.0	90.0	90.0	13.0	85-L085G
51-091	8.0	120.0	120.0	92.0	92.0	91.0	11.0	85-090M
51-K091	9.0	138.0	138.0	100.0	100.0	91.0	13.0	85-098M
51-094	9.0	120.0	120.0	88.0	88.0	95.0	12.0	-
51-094A	6.0	113.0	113.0	85.0	85.0	95.0	11.0	85-091G
51-095	8.0	120.0	120.0	92.0	92.0	95.0	11.0	85-090M
51-K095	9.0	138.0	138.0	100.0	100.0	95.0	13.0	85-098M
51-101	9.0	132.0	132.0	106.0	106.0	102.0	13.0	85-101G
51-L101	6.0	155.0	155.0	125.0	125.0	102.0	14.0	-
51-102	9.0	132.0	132.0	102.0	102.0	102.5	11.0	85-105M
51-K102	9.0	138.0	138.0	100.0	100.0	102.6	13.0	85-098M
51-103	6.0	160.0	160.0	130.0	130.0	103.0	12.0	-
51-111	9.0	140.0	140.0	102.0	102.0	111.0	13.0	85-110M
51-K111	9.0	138.0	138.0	100.0	100.0	111.0	13.0	85-098M
51-116	6.0	155.0	155.0	125.0	125.0	116.0	14.0	-
51-K138	6.0	138.0	138.0	100.0	100.0	-	13.0	85-098M



51-K138は、中央の穴が開いていない商品です。
 パイプ外径に合わせて、自由に各種内径サイズの商品製作が可能です。
 センターにマークをつけていますので、簡単に円を描くことができます。


フランジ 四角型



ステンレス製 (SUS304)

商品番号	厚み (t)	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ガスケット番号
51-S061	9.0	90.0	90.0	65.0	65.0	61.0	11.0	85-064M
51-S075A	6.0	100.0	100.0	75.0	75.0	76.0	11.0	85-075M
51-S080	6.0	100.0	100.0	75.0	75.0	81.0	11.0	85-081M
51-S094A	6.0	113.0	113.0	85.0	85.0	95.0	11.0	85-091G
51-S094B	6.0	132.0	132.0	106.0	106.0	95.0	13.0	85-101G
51-S103	6.0	132.0	132.0	106.0	106.0	103.0	13.0	85-101G
51-S115	6.0	140.0	140.0	110.0	110.0	115.0	12.0	-
51-S116	6.0	155.0	155.0	125.0	125.0	116.0	14.0	-

フランジ 丸型



鉄製 (SS)

商品番号	厚み (t)	外径 (D1)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ボルト穴数	ガスケット番号
52-042	12.0	115.0	90.0	90.0	44.0	15.0	4	82-042A
52-048	12.0	120.0	95.0	95.0	50.0	15.0	4	82-048A
52-052	10.0	115.0	90.0	90.0	52.0	13.0	4	82-042A
52-060	14.0	130.0	105.0	105.0	62.0	15.0	4	82-060A
52-061	6.0	104.0	71.0	71.0	61.0	11.0	3	-
52-062	10.0	130.0	105.0	105.0	62.0	13.0	4	82-060A
52-M062	6.0	110.0	90.0	90.0	62.0	11.0	4	-
52-075	9.0	124.0	99.0	99.0	75.0	12.0	4	-
52-076	14.0	155.0	130.0	130.0	78.0	15.0	4	82-076A
52-089	14.0	180.0	145.0	145.0	91.0	19.0	4	82-089A
52-101	14.0	190.0	155.0	155.0	103.0	19.0	4	82-101A
52-114	16.0	200.0	165.0	165.0	116.0	19.0	8	82-114A

ステンレス製 (SUS304)


商品番号	厚み (t)	外径 (D1)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ボルト穴数	ガスケット番号
52-S042	12.0	115.0	90.0	90.0	44.0	15.0	4	82-042A
52-S048	12.0	120.0	95.0	95.0	50.0	15.0	4	82-048A
52-S055	6.0	130.0	105.0	105.0	55.0	11.0	4	82-060A
52-S060	14.0	130.0	105.0	105.0	62.0	15.0	4	82-060A
52-S076	14.0	155.0	130.0	130.0	78.0	15.0	4	82-076A
52-S089	14.0	180.0	145.0	145.0	91.0	19.0	4	82-089A
52-S101	14.0	190.0	155.0	155.0	103.0	19.0	4	82-101A
52-S114	16.0	200.0	165.0	165.0	116.0	19.0	8	82-114A

ガスケット 小判型

☆11×15、12×18は、卵穴(長穴)です。11.0等は丸穴です。
☆80-95等は、ボルトピッチの許容範囲寸法です。

小判型


商品番号	外径 (D1)	外径 (D2)	ピッチ (L1)	内径 (B)	穴径 (dφ)	フランジ 番号
81-043M	59.0	92.0	70.0	43.0	11.0	49-L043
81-046M	65.0	97.0	74.0	46.0	10.5	49-R043
81-050M	80.0	117.0	75-94	50.0	13×18	49-051
81-051	80.0	116.0	90.0	51.0	11.0	49-052
81-052M	69.0	109.0	82.0	52.0	11.0	49-R051
81-053M	80.0	118.0	80-90	52.0	11×16	49-051
81-054M	69.0	104.0	80.0	54.0	11.0	49-L051
81-054MA	76.0	108.0	84.0	54.0	12.0	49-051
81-055	86.0	124.0	96.0	55.0	11.0	49-060
81-056M	78.0	116.0	92.0	56.0	13.0	49-L052
81-057M	94.0	132.0	111.0	57.0	14.0	-
81-061M	81.0	118.0	80-95	61.0	12×18	49-060
81-062MA	87.0	129.0	89-106	62.0	11×20	49-060
81-063M	96.0	138.0	100-115	63.0	12×18	49-L062
81-064	97.0	131.0	105.0	64.0	11.0	49-075
81-064GA	97.0	131.0	105.0	64.0	11.0	49-075
81-065GA	97.0	125.0	102.0	65.0	11.0	49-061
81-065M	81.0	117.0	91.0	65.0	11.0	49-R062
81-072M	96.0	138.0	100-115	72.0	12×18	49-072
81-077M	95.0	130.0	100-110	77.0	11×15	49-080
81-078M	103.0	142.0	96-122	78.0	14×23	49-075
81-080M	106.0	132.0	105.0	80.0	11.0	49-080
81-092G	105.0	140.0	118.0	92.0	11.0	49-081
81-115G	138.0	195.0	170.0	115.0	11.0	-
81-120G	137.0	200.0	175.0	120.0	11.0	-




ガスケット 三角型

三角型

商品番号	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	フランジ 番号
83-052M	95.0	95.0	74.0	74.0	52.0	11.0	50-L051
83-052MA	110.0	110.0	72-85	72-85	52.0	11×20	50-051
83-060M	99.0	99.0	75.0	75.0	60.0	11.0	50-051
83-062	110.0	110.0	87.0	87.0	62.0	11.0	50-062
83-062G	100.0	100.0	78.0	78.0	62.0	10.0	-
83-062MA	120.0	120.0	80-94	80-94	62.0	11×20	50-062
83-063G	100.0	100.0	78.0	78.0	63.0	11.0	50-061
83-065M	100.0	100.0	82.0	82.0	65.0	11.0	50-051
83-074G	118.0	118.0	92.0	92.0	74.0	13.0	50-076
83-075GA	110.0	110.0	87.0	87.0	74.0	11.0	50-062
83-081G	132.0	132.0	102.0	102.0	81.0	13.0	-
83-082G	133.0	133.0	107.0	107.0	82.0	14.0	-
83-085G	135.0	135.0	112.5	112.5	85.0	11.0	-
83-090G	133.0	133.0	107.0	107.0	90.0	14.0	-
83-098M	140.0	140.0	112.0	112.0	98.0	13.0	-
83-109G	150.0	150.0	126.0	126.0	109.0	13.0	-
83-112G	150.0	150.0	125.0	125.0	112.0	13.0	-



ガスケット 特殊型





特殊型

商品番号	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	フランジ番号
84-075M	135.0	-	94.0	94.0	75.0	11.0	50-076
84-089M	144.0	-	104.0	104.0	89.0	13.0	50-089

ガスケット 四角型



四角型

商品番号	外径 (D1)	外径 (D2)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	フランジ番号
85-051M	70.0	70.0	52.0	52.0	50.8	9.0	-
85-052M	100.0	80.0	60-75	48-60	52.0	11X20	51-051
85-053M	75.0	89.0	50.0	64.0	53.0	9.0	51-052
85-055	74.0	88.0	50.0	64.0	55.0	9.0	51-051
85-062M	95.0	95.0	70.0	70.0	61.5	11.0	51-L062
85-062MA	100.0	100.0	64-75	64-75	62.0	11×20	51-060
85-063GA	87.0	87.0	64.0	64.0	63.0	9.0	51-R061
85-064G	88.0	88.0	64.0	64.0	64.0	9.0	51-062
85-064M	88.0	88.0	64.0	64.0	64.0	9.0	51-062
85-075G	99.0	99.0	75.0	75.0	75.0	11.0	51-075
85-075M	100.0	100.0	75.0	75.0	75.0	11.0	51-075
85-080G	108.0	108.0	82.0	82.0	80.0	13.0	51-L076
85-080MA	110.0	110.0	75-85	75-85	80.0	11×20	51-R080
85-081G	99.0	99.0	75.0	75.0	81.0	11.0	51-080
85-081GA	110.0	110.0	81.0	81.0	81.0	13.0	-
85-081GB	110.0	110.0	81.0	81.0	81.0	13.0	-
85-081GC	122.0	122.0	92.0	92.0	81.0	13.0	-
85-081M	99.0	99.0	75.0	75.0	81.0	11.0	51-080
85-L081M	105.0	105.0	80.0	80.0	81.0	11.0	51-L080
85-085G	112.0	112.0	85.0	85.0	85.0	13.0	-
85-085GA	101.0	101.0	80.0	80.0	85.0	11.0	51-L080
85-L085G	115.0	115.0	89.0	89.0	85.0	13.0	51-R081
85-086G	122.0	122.0	92.0	92.0	86.0	13.0	51-085
85-090G	116.0	116.0	92.0	92.0	90.0	11.0	-
85-090M	120.0	120.0	92.0	92.0	90.0	11.0	51-091
85-091G	113.0	113.0	85.0	85.0	90.0	11.0	51-094A
85-091M	113.0	113.0	85.0	85.0	90.0	11.0	51-094A
85-098M	135.0	135.0	100.0	100.0	98.0	13.0	51-K102
85-101G	132.0	132.0	106.0	106.0	103.0	13.0	51-101
85-105M	131.0	131.0	102.0	102.0	105.0	13.0	51-102
85-109G	130.0	130.0	106.0	106.0	109.0	13.0	-
85-109GA	130.0	130.0	106.0	106.0	109.0	13.0	-
85-110M	140.0	140.0	102.0	102.0	110.0	14.0	51-109
85-112G	132.0	132.0	106.0	106.0	112.0	13.0	-
85-112GA	132.0	132.0	106.0	106.0	112.0	13.0	-



※ 85-080G、85-085G

ガスケット 丸型




丸型

商品番号	外径 (D1)	ピッチ (L1)	ピッチ (L2)	内径 (B)	穴径 (dφ)	ボルト穴数	フランジ番号
82-042A	115.0	90.0	90.0	44.0	16.0	4	52-042
82-048A	120.0	95.0	95.0	50.0	16.0	4	52-048
82-060A	130.0	105.0	105.0	62.0	16.0	4	52-060
82-076A	155.0	130.0	130.0	78.0	16.0	4	52-076
82-089A	180.0	145.0	145.0	92.0	20.0	4	52-089
82-101A	190.0	155.0	155.0	103.0	20.0	4	52-101
82-114A	200.0	165.0	165.0	116.0	20.0	8	52-114


ガスケット うずまき型

うずまき型(厚み:4mm)

商品番号	内径 (B)	外径 (D)
BG-036	36.0	49.0
BG-044	44.0	64.0
BG-045	45.0	63.0
BG-049	49.0	65.0
BG-050	50.0	68.0
BG-052	52.0	68.0
BG-054	54.0	76.0
BG-055	55.0	68.0
BG-056	56.0	68.0
BG-062	62.0	74.0



ガスケット 球面タイプ




球面タイプ

商品番号	内径 (B)	外径 (D)	高さ (h)
FM-4056	40.0	56.0	18.0
FM-4359	43.0	59.0	15.0
FM-4558	45.0	58.0	15.0
FM-4559	45.0	59.0	15.0
FM-6077	60.5	77.0	14.5
FM-6177	61.0	77.0	16.0
FM-110131	110.0	131.0	17.5



ガスケット クロスリングタイプ



クロスリングタイプ

商品番号	内径(B)	外径(D)	高さ(h)
FN-3846	38.3	46.3	4.0
FN-4351	43.0	51.0	4.0
FN-4553	45.0	53.0	4.0
FN-8795	87.0	95.0	4.0

ガスケット ジョイントシート

ジョイントシート

商品番号	商品寸法
AE-010NA	635mm × 1,270mm × 1.0(厚み)
AE-015NA	635mm × 1,270mm × 1.5(厚み)

耐熱温度は150度です。



ガスケット メタル製シート

メタル製シート

商品番号	商品寸法
AF-020NA	500mm × 1,000mm × 2.0mm(厚み)

耐熱温度は500度です。



ガスケット DPF用

DPF用

商品番号	車種	参考品番	内径B	ボルト穴数	ボルト穴径b	ボルト穴ピッチL
FT-120	いすゞエルフ	8-97331-947	202	8	10	90
FT-125	三菱ふそうファイター	ME304299	250	9	12	94



FT-120



FT-125

